

158580

Monday, March 27, 2017 11:19:07 AM

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 4/7/2017 **Start Qty:** 1.00

Cust Item ID:

Required Date: 4/10/2017 **Req'd Qty:** 1.00

Customer:

Reference: SCHEDULED/C

Approvals: **Process Plan:**

Date: MAR 27 2017 Tooling:

Date:

Run Start *NR1*

QC:

Date: _____ **SPC (Y/N):** _____

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
DSI9511	A								DAS 21 9-89 17032
100	Document Control								
100	DOCUMENT CONTROL								DAS 6 9-89 MAR 27 2017
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPP D412-702-345 CHG001								DAS 28 9-89 MAR 28 2017
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							DAS 6 9-89 MAR 28 2017 9-89
Packaging									
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.03							
Quality Control									DAS 28 9-89 MAR 28 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

Work Order ID 158580

Monday, March 27, 2017 11:19:07 AM

158580

Page 2

Item ID: D412-702-345**Accept*****N900040100*****Setup Start*****NS1*****Revision ID:****Stop*****NS2*****Item Name:** Shoulder Harness, 3-Point Att., Inertia Reel Continuous Belt, 4 Man Aft**Start Date:** 4/7/2017 **Start Qty:** 1.00***1*****Cust Item ID:****Required Date:** 4/10/2017 **Req'd Qty:** 1.00***1*****Customer:****Reference:** SCHEDULED/C**Approvals:** **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____**Run Start*****NR1*****QC:** _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____**Stop*****NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Packaging	0.00							
130									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D412-702-345								
	Location: <u>F9029</u>								
	PPP Rev: _____								
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.10							
Quality Control									

DAS
28
9-89

MAR 28 2017

DAS
21
9-89

MAR 29 2017

DAS
21
9-89

MAR 29 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval																																																										
Description Work Order Deviation				Disposition				Completed By																																																									
								Lead hand / Supervisor Approval Verification																																																									
								QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐																																																																

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐		
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐		
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐		
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐		
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐		
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐		
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐		
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐		
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐		
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐		
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____					
Misidentified ☐	Past Due ☐						

Picklist Print

Monday, March 27, 2017 11:19:12 AM

Work Order ID: 158580

158580

Parent Item: D412-702-345

D412-702-345

Parent Item Name: Shoulder Harness, 3-Point Att., Inertia Reel Continuous Belt, 4 Man Aft

Start Date: 4/7/2017

Required Date: 4/10/2017

Start Qty: 1.00

Required Qty: 1.00

D3572-041

Manufactured No

110

Each

3.0000

2

2

D3572-041

Guide

**

DAS
6
9-89

MAR 28 2017

DAS
27
9-89

Location

Loc Qty

Loc Code

ST256

3

147493

3

2

AN4-16A

Purchased

No

110

Each

173.0000

2

2

AN4-16A

Bolt

**

DAS
6
9-89

MAR 28 2017

DAS
27
9-89

Location

Loc Qty

Loc Code

FG

5

121541

5

over003

100

M136986

100

ST343

68

M136740

68

2

AN4-25A

Purchased

No

110

Each

26.0000

4

4

AN4-25A

Bolt

**

DAS
6
9-89

MAR 28 2017

DAS
27
9-89

Location

Loc Qty

Loc Code

over003

25

m135056

25

3

ST342

1

m134573

1

1

AN4-27A

Purchased

No

110

Each

16.0000

4

4

AN4-27A

Bolt

**

DAS
6
9-89

MAR 28 2017

DAS
27
9-89

Location

Loc Qty

Loc Code

ST342

16

m135133

16

4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			Completed By
					Lead hand / Supervisor Approval Verification
					QC / QA Coordinator Approval
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Monday, March 27, 2017 11:19:12 AM

Work Order ID: 158580

158580

Parent Item: D412-702-345

D412-702-345

Parent Item Name: Shoulder Harness, 3-Point Att., Inertia Reel Continuous Belt, 4 Man Aft

Start Date: 4/7/2017

Required Date: 4/10/2017

Start Qty: 1.00

Required Qty: 1.00

NAS1149D0463J

Purchased

No

110

Each

1,959.000

20

20

NAS1149D0463J

Washer

**

DAS
6
9-89

DAS
27
9-89

MAR 28 2017

DAS
28
9-89

Location

Loc Qty

Loc Code

GA

67

M134508

13

M135056

54

ST263

1892

M136838

892

M136983

1000

20

MS21042L4

Purchased

No

110

Each

1,297.000

6

6

MS21042L4

Nut

**

DAS
6
9-89

DAS
27
9-89

MAR 28 2017

DAS
28
9-89

Location

Loc Qty

Loc Code

FP001

10

m133363

10

GA

172

m135058

172

OVER007

500

m136986

500

ST303

615

m136450

500

m136838

115

6

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS IIN-D412-702 REV. E AND
INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D412-702 REV. 3
REF TCCA STC SH04-7
REF FAA STC SR01997NY
REF EASA STC EASA.I.M.R.S.00710

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 158580
MAR 27 2017

This service instruction adds several kits equipped with improved inertia reels:

The Dart **D412-702-341** 13-Man Shoulder Harness Kit provides 3-point harnesses with inertia reels and joined lap and shoulder belts for all 13 passenger seating positions in the aircraft cabin. The kit also contains hardpoints for securing the harnesses. The harnesses for this kit meet the requirements of TSO-C114 and replace the existing lap belts. This kit should be installed similar to the D412-702-041B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-343** 5-Man Forward Facing Shoulder Harness Kit provides 3-point harnesses with inertia reels and joined lap and shoulder belts for the 5 forward facing seating positions in the aircraft cabin. The kit also contains hardpoints for securing the harnesses. The harnesses for this kit meet the requirements of TSO-C114 and replace the existing lap belts. This kit should be installed similar to the D412-702-043B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-345** 4-Man Shoulder Harness Kit provides 3-point harnesses with inertia reels and joined lap and shoulder belts for the 4 aft facing seating positions in the aircraft cabin. The kit also contains hardpoints for securing the harnesses. The harnesses for this kit meet the requirements of TSO-C114 and replace the existing lap belts. This kit should be installed similar to the D412-702-045B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-347** 4-Man Shoulder Harness Kit provides 3-point harnesses with inertia reels and joined lap and shoulder belts for the 4 side facing seating positions in the aircraft cabin. The kit also contains hardpoints for securing the harnesses. The harnesses for this kit meet the requirements of TSO-C114 and replace the existing lap belts. This kit should be installed similar to the D412-702-047B kit, as detailed in Table 1 of this service instruction.

The Dart **D412-702-349** 1-Man Shoulder Harness Kit provides a 3-point harness with an inertia reel and joined lap and shoulder belts for the center forward facing seating position in the aircraft cabin. The kit also contains hardpoints for securing the harness. The harness for this kit meets the requirements of TSO-C114 and replaces the existing lap belts. This kit should be installed similar to the D412-702-049B kit, as detailed in Table 1 of this service instruction.


The Dart **D412-702-351** 1-man 3-point shoulder harness kits are available for the outboard seats of the 5-man forward facing bench in Bell 205/212/214/412 model aircraft. The kit can be installed LH or RH. These kits should be installed similar to the D412-702-051B/-052B kits, as detailed in Table 1 of this service instruction.

The Dart **D214-702-337** 5-Man Aft Facing Shoulder Harness Kit provides 3-point harnesses with inertial reels and joined lap and shoulder belts for the 5-man aft facing seat installed in the Bell 214B/B1 model aircraft. This kit should be installed similar to the D214-702-037B kit, as detailed in Table 1 of this service instruction.

The Dart **D205-702-353** 4-Man Aft Facing Shoulder Harness Kit provides 3-point harnesses with inertial reels and joined lap and shoulder harnesses for the 4-man aft facing seat installed in the UH-1 model aircraft. This kit should be installed similar to the D205-702-053B kit, as detailed in Table 1 of this service instruction.

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

A	NEW ISSUE	CP	10.03.18
REV.	DESCRIPTION	BY	DATE
DESIGN	9	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	9		
CHECKED	1	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9511	SHEET 1 OF 6
APPROVED	140	TITLE	SCALE
DE APPR.	14	NEW SHOULDER HARNESS KITS	NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

INSTALLATION

The Dart D412-702-3XX kits should be installed similar to the kits in Installation Instructions IIN-D412-702 Rev. E or Dart Service Instruction (DSI) listed below:

TABLE 1

Part Number	Description	Install similar to:
D412-702-341	Shoulder Harness Kit	D412-702-041B (IIN-D412-702, DSI 9408)
D412-702-343	Shoulder Harness Kit	D412-702-043B (IIN-D412-702, DSI 9453 [214], DSI 9408)
D412-702-345	Shoulder Harness Kit	D412-702-045B (IIN-D412-702, DSI 9469)
D412-702-347	Shoulder Harness Kit	D412-702-047B (IIN-D412-702, DSI 9408)
D412-702-349	Shoulder Harness Kit	D412-702-049B (IIN-D412-702, DSI 9408)
D412-702-351	Shoulder Harness Kit	D412-702-051B (LH) (DSI 9397, DSI 9408) D412-702-052B (RH) (DSI 9397, DSI 9408)
D214-702-337	Shoulder Harness Kit	D214-702-037B (DSI 9454)
D205-702-353	Shoulder Harness Kit	D205-702-053B (DSI 9460)
D412-702-301	Harness Assembly	D412-702-101B (IIN-D412-702)
D412-702-303	Harness Assembly	D412-702-103B (IIN-D412-702)
D412-702-305	Harness Assembly	D412-702-105B (IIN-D412-702)
D412-702-307	Harness Assembly	D412-702-107B (IIN-D412-702)
D412-702-309	Harness Assembly	D412-702-109B (IIN-D412-702)
D412-702-311	Harness Assembly	D412-702-111B (IIN-D412-702)
D412-702-313	Harness Assembly	D412-702-113B (IIN-D412-702)
D412-702-315	Harness Assembly	D412-702-115B (IIN-D412-702)
D412-702-317	Harness Assembly	D412-702-117B (IIN-D412-702)
D412-702-319	Harness Assembly	D412-702-119B (DSI 9454)
D412-702-321	Harness Assembly	D412-702-121B (DSI 9454, DSI 9469)
D412-702-323	Harness Assembly	D412-702-123B (DSI 9454, DSI 9469)

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

DESIGN	99	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	99	
CHECKED	J	DRAWING NO. REV. A
MFG. APPR.	N/A	DSI 9511 SHEET 2 OF 6
APPROVED	140	TITLE SCALE
DE APPR.	H	NEW SHOULDER HARNESS KITS NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

PARTS LIST
TABLE 2

QTY -341	QTY -343	QTY -345	QTY -347	QTY -349	QTY -351	Part Number	Description
X						D412-702-341	Dart 13-Man 3-Point Shoulder Harness Kit
	X					D412-702-343	Dart 5-Man 3-Point Forward Facing Shoulder Harness Kit
		X				D412-702-345	Dart 4-Man 3-Point Aft Facing Shoulder Harness Kit
			X			D412-702-347	Dart 4-Man 3-Point Side Facing Shoulder Harness Kit
				X		D412-702-349	Dart 1-Man 3-Point Forward Shoulder Harness Kit
					X	D412-702-351	Dart 1-Man 3-Point Shoulder Harness Kit
1	1		1	1		D412-702-059	GROMMET KIT
9	5		4	1	1	D3761-1-041	HOOK AND LOOP STRIP (DSI 9408)
2	1		1			D412-702-301	HARNESS ASSEMBLY (NEW)
1*	1*		1*			D3573-7	ADAPTER
1*	1*		1*			D4088-041	SHOULDER HARNESS (NEW)
4*	4*		4*			MS24693S272	SCREW
4*	4*		4*			AN960JD10LL	WASHER
4*	4*		4*			MS21042L3	NUT
2	1		1			D412-702-303	HARNESS ASSEMBLY (NEW)
1*	1*		1*			D3573-8	ADAPTER
1*	1*		1*			D4088-041	SHOULDER HARNESS (NEW)
4*	4*		4*			MS24693S272	SCREW
4*	4*		4*			AN960JD10LL	WASHER
4*	4*		4*			MS21042L3	NUT
1	1			1		D412-702-305	HARNESS ASSEMBLY (NEW)
1*	1*			1*		D3573-1	ADAPTER
1*	1*			1*		D4088-041	SHOULDER HARNESS (NEW)
4*	4*			4*		MS24693S273	SCREW
4*	4*			4*		AN960JD10LL	WASHER
4*	4*			4*		MS21042L3	NUT
1	1				1	D412-702-307	HARNESS ASSEMBLY (NEW)
1*	1*				1*	D3573-3	ADAPTER
1*	1*				1*	D4088-041	SHOULDER HARNESS (NEW)
4*	4*				4*	MS24693S272	SCREW
4*	4*				4*	AN960JD10LL	WASHER
4*	4*				4*	MS21042L3	NUT
1	1					D412-702-309	HARNESS ASSEMBLY (NEW)
1*	1*					D3573-3	ADAPTER
1*	1*					D4088-041	SHOULDER HARNESS (NEW)
4*	4*					MS24693S272	SCREW
4*	4*					AN960JD10LL	WASHER
4*	4*					MS21042L3	NUT

* denotes that part is included in assembly above

continued next page...

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN		
CHECKED		DRAWING NO. REV. A
MFG. APPR.	N/A	DSI 9511 SHEET 3 OF 6
APPROVED		TITLE SCALE
DE APPR.		NEW SHOULDER HARNESS KITS NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD

...continued from previous page

QTY -341	QTY -343	QTY -345	QTY -347	QTY -349	QTY -351	Part Number	Description
1		1				D412-702-311	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-1	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	SCREW
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT
1		1				D412-702-313	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-2	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	SCREW
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT
1			1			D412-702-315	HARNESS ASSEMBLY (NEW)
1*			1*			D3573-5	ADAPTER
1*			1*			D4088-041	SHOULDER HARNESS (NEW)
4*			4*			MS24693S272	SCREW
4*			4*			AN960JD10LL	WASHER
4*			4*			MS21042L3	NUT
1			1			D412-702-317	HARNESS ASSEMBLY (NEW)
1*			1*			D3573-5	ADAPTER
1*			1*			D4088-041	SHOULDER HARNESS (NEW)
4*			4*			MS24693S272	SCREW
4*			4*			AN960JD10LL	WASHER
4*			4*			MS21042L3	NUT
1		1				D412-702-321	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-3	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	BOLT
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT
1		1				D412-702-323	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-4	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	BOLT
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT

* denotes that part is included in assembly above

continued next page...

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22

CERT. NO.: SH04-7

ISSUE NO.: 3

DESIGN	92	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	92	
CHECKED	1	DRAWING NO. REV. A
MFG. APPR.	N/A	DSI 9511 SHEET 4 OF 6
APPROVED	140	TITLE SCALE
DE APPR.	14	NEW SHOULDER HARNESS KITS NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

...continued from previous page

QTY -341	QTY -343	QTY -345	QTY -347	QTY -349	QTY -351	Part Number	Description
2	2					D3542-1	BRACKET
7	3		4	1		D3571-1	GUIDE
2	2					D3571-3	GUIDE
2		2				D3572-041	GUIDE ASSEMBLY
12	6		6	2		D3578-041	DOUBLER
2	2					D3610-041	BRACKET
2	2					D3618-1	CAP
4	4					AN4-10A	BOLT
2		2				AN4-16A	BOLT
4		4				AN4-25A	BOLT
4		4				AN4-27A	BOLT (DSI 9469)
2	2					AN4-44A	BOLT
2	2					MS24693S274	SCREW
3	3			1		MS24694S56	SCREW
10	2		8			MS24694S58	SCREW
1	1			1		MS24694S60	SCREW
26	6	20				AN960JD416	WASHER
4	4					AN960JD416L	WASHER
12	6	6				MS21042L4	NUT
24	12		12	4		CR3212-4-4	RIVET

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

DESIGN	92	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	92	
CHECKED		DRAWING NO. REV. A
MFG. APPR.	N/A	DSI 9511 SHEET 5 OF 6
APPROVED		TITLE SCALE
DE APPR.		NEW SHOULDER HARNESS KITS NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

TABLE 3

QTY -337	QTY -353	Part Number	Description
X		D214-702-337	Dart 5-Man 3 Point Aft Facing Shoulder Harness Kit, for 214 Aircraft
	X	D205-702-353	Dart 4-Man 3 Point Aft Facing Shoulder Harness Kit, for UH-1 Aircraft
1	2	D412-702-311	HARNESS ASSEMBLY (NEW) --> SEE TABLE 2
1	2	D412-702-313	HARNESS ASSEMBLY (NEW) --> SEE TABLE 2
1		D412-702-321	HARNESS ASSEMBLY (NEW) --> SEE TABLE 2
1		D412-702-323	HARNESS ASSEMBLY (NEW) --> SEE TABLE 2
1		D412-702-319	HARNESS ASSEMBLY (NEW)
1*		D3925-041	BRACKET
1*		D4088-043	SHOULDER HARNESS ASSEMBLY (NEW)
4*		MS24694S50	BOLT
4*		AN960JD10L	WASHER
4*		MS21042L3	NUT
	1	D3572-043	GUIDE ASSY
	1	D3572-044	GUIDE ASSY
1		D3920-041	SEATBELT GUIDE ASSEMBLY
2		D3920-5	SEATBELT GUIDE
1	6	AN4-16A	BOLT
1		AN4-21A	BOLT
7		AN4-25A	BOLT
18	12	AN960JD416	WASHER
9	6	MS21042L4	NUT

* denotes that part is included in assembly above

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)


DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

DESIGN	92	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	92	
CHECKED	J	DRAWING NO. REV. A
MFG. APPR.	N/A	DSI 9511 SHEET 6 OF 6
APPROVED	149	TITLE SCALE
DE APPR.	149	NEW SHOULDER HARNESS KITS NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

...continued from previous page

QTY -341	QTY -343	QTY -345	QTY -347	QTY -349	QTY -351	Part Number	Description
2	2					D3542-1	BRACKET
7	3		4	1		D3571-1	GUIDE
2	2					D3571-3	GUIDE
2		2				D3572-041	GUIDE ASSEMBLY
12	6		6	2		D3578-041	DOUBLER
2	2					D3610-041	BRACKET
2	2					D3618-1	CAP
4	4					AN4-10A	BOLT
2		2				AN4-16A	BOLT
4		4				AN4-25A	BOLT
4		4				AN4-27A	BOLT (DSI 9469)
2	2					AN4-44A	BOLT
2	2					MS24693S274	SCREW
3	3			1		MS24694S56	SCREW
10	2		8			MS24694S58	SCREW
1	1			1		MS24694S60	SCREW
26	6	20				AN960JD416	WASHER
4	4					AN960JD416L	WASHER
12	6	6				MS21042L4	NUT
24	12		12	4		CR3212-4-4	RIVET

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED
BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

DESIGN	92	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
DRAWN	92	
CHECKED		DRAWING NO. REV. A
MFG. APPR.	N/A	DSI 9511 SHEET 5 OF 6
APPROVED		TITLE SCALE
DE APPR.		NEW SHOULDER HARNESS KITS NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

...continued from previous page

QTY -341	QTY -343	QTY -345	QTY -347	QTY -349	QTY -351	Part Number	Description
1		1				D412-702-311	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-1	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	SCREW
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT
1		1				D412-702-313	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-2	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	SCREW
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT
1			1			D412-702-315	HARNESS ASSEMBLY (NEW)
1*			1*			D3573-5	ADAPTER
1*			1*			D4088-041	SHOULDER HARNESS (NEW)
4*			4*			MS24693S272	SCREW
4*			4*			AN960JD10LL	WASHER
4*			4*			MS21042L3	NUT
1			1			D412-702-317	HARNESS ASSEMBLY (NEW)
1*			1*			D3573-5	ADAPTER
1*			1*			D4088-041	SHOULDER HARNESS (NEW)
4*			4*			MS24693S272	SCREW
4*			4*			AN960JD10LL	WASHER
4*			4*			MS21042L3	NUT
1		1				D412-702-321	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-3	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	BOLT
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT
1		1				D412-702-323	HARNESS ASSEMBLY (NEW)
1*		1*				D3570-4	BRACKET
1*		1*				D4088-043	SHOULDER HARNESS (NEW)
4*		4*				MS24694S50	BOLT
4*		4*				AN960JD10L	WASHER
4*		4*				MS21042L3	NUT

* denotes that part is included in assembly above

continued next page...

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 10.03.22
CERT. NO.: SH04-7
ISSUE NO.: 3

DESIGN	92	DART AEROSPACE LTD	
DRAWN	92	HAWKESBURY, ONTARIO, CANADA	
CHECKED	J	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9511	SHEET 4 OF 6
APPROVED	140	TITLE	SCALE
DE APPR.	H	NEW SHOULDER HARNESS KITS	NTS
DATE	10.03.18	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	